

Love how you work.®

TalkTime Quick conference connection




Steelcase

Visit steelcase.com

- [facebook.com](https://www.facebook.com/steelcase)
- [twitter.com](https://twitter.com/steelcase)
- [youtube.com/steelcasetv](https://www.youtube.com/steelcasetv)

Concept and Design / Steelcase
DC149EN 10/13 © 2009 Steelcase® All rights reserved. All specifications subject to change without notice.
Printed on at least 60% recycled paper. Cert no. BV-COC-858659. Printed in France by OTT Imprimeurs – Wasselonne.





Steelcase

C4577

Observations & Insights

- 1 - Most conferencing tables are not intuitive to set up and use.
- 2 - Frequently changing layouts and installations require a high level of durability.



TalkTime Quick conference connection

Setting up a large conference space can rapidly become a nightmare without the right furniture. Schedules change at the last minute and there is rarely enough time to prepare.

That's why Steelcase concentrates on creating products that make life easy. With simple-handling, efficient storing and a high level of durability and stability, **our new folding table helps cut out the difficulties associated with arranging large meetings and can speed up room use and improve productivity.**

Add an attractive design and comfortable chairs and everyone is happy.

Why TalkTime ?

- 1 - Quick and easy installation
- 2 - High stability and durability
- 3 - Space efficient storing



C4692

How it works



High stability and durability
 A crucial feature of any conferencing table is structural robustness. TalkTime employs horizontal bars for high level quality and reduced surface-top material. It also comes with a safety mechanism to avoid unintentional folding of the legs. Select from different work-top thicknesses: 25mm, 19mm, 14mm.



Space efficient storing
 No tools or technical knowledge needed. TalkTime's legs can flip up quickly, easy and safely for space efficient storage.



Quick and easy installation

Integrated connections allow users to create different installations by sharing legs and using junction tables.

Ideal for any conferencing set-up. Configurations of 2,3,4,5 or more tables can be created at no extra cost.



Push connector



Hook 2nd table








Connect table




System overview




Table top shapes	Dimensions in mm	Corner Radius 3mm
	W 1200 D 600 700 800 900	x
	W 1400 D 600 700 800 900	x
	W 1600 D 600 700 800 900	x
	W 1800 D 600 700 800 900	x
	W 800 D 800	x
	W 900 D 900	x
	W 1000 D 1000	x
	ø 1400	x
	ø 1600	x
	ø 1800	x
	ø 900	x
	ø 1000	x
	ø 1200	x
	W 600 D 600	x
	W 700 D 700	x
	W 800 D 800	x
	W 900 D 900	x

Material thickness	Melamine	Veneer	TechTop	Height	Possibility to connect
14mm	–	–	x	729mm	–
19mm	x	x	–	734mm	x
25mm	x	x	–	740mm	x

Dimensions




Connection



Selection of Finishes


Melamine



WY Snow




AT Acacia




W5 Walnut


Veneer



ER Canadian Maple




WE Wenge Style




NU American Walnut


Paint



ZW Pearl Snow



ZX Pearl Grey



SL Silver

TalkTime environmental performance

You need clear evidence to support your environmental credentials. We can provide it.

End of life

Up to **99%** recyclable by weight.

100% recyclable LPDE film for packaging. **40%** of the EPP corners used for packaging are reused.

Plastics parts clearly labelled for easy sorting and effective recycling.

Material

23% recycled content by weight.

PVC free.

30% recycled LDPE film (Low Density Polyethylene) in packaging.

Use

Designed for a long product life.

Replaceable parts.

Maintenance information available on Steelcase.com.

Transport

Manufactured close to customers, in Europe.

Minimised packaging weight and volume to improve filling rates and save energy for shipping.



Production

ISO 14001 and EMAS certification of the Rosenheim site (Germany).

Water-based glue for edge banding.

Powder coat painting: VOC-free and free of heavy metals.

You require official certifications. We can deliver them.



Product Environmental Profile (PEP). Based on ISO 14021, its purpose is to communicate precise and verifiable information on environmental aspects of the product during its life cycle.



Blauer Engel. This German environmental certification is awarded to products with a low environmental impact.



PEFC. The wooden components are PEFC certified (Programme for the Endorsement of Forest Certification), ensuring that wood originates from sustainably managed forests.



E1. The particle boards comply with the "E1 standard" guaranteeing a low level of formaldehyde emissions.

You care about the end of use of your furniture.

We offer options - be it refurbishing, take-back, charitable donation or recycling.

Visit Steelcase.com to discover more about Steelcase's unique ecodesign strategy.